PRODUCT SHEET



5LW210

HAND PROTECTION - 'Welding Gloves'

'Red' Welders All Leather Reinforced Palm - 40cm



Features:

- Red leather
- 40 cm long
- Reinforced palm

Materials:

■ Leather: Premium Cow split leather

Thickness: 1.2 – 1.3mm Colour: Red and Black

■ Lining: Hand: 8oz T/C Fabric

(50% Cotton / 50% Polyester)
Cuff: 8-10oz denim woven fabric

■ Thread: Kevlar®

Sizes: Large

Packaging:

Unit Pack | Qty/Box | Qty/Carton | 1 Pr | 12 Pr | 48 Pr

APPLICABLE STANDARDS

- EN 388:2003 Protective Gloves Against Mechanical Risks. This Standard is applied to protective gloves with regards to physical and mechanical aggressions caused by abrasion, blade cut, tear and puncture. EN 388 indicates the certification of mechanical testing performance for hand protection gloves under the European Standards.
- EN 407:2004 Protective Gloves Against Thermal Risks.

 This standard specifies thermal performance for protective gloves against heat and/or fire.

APPLICABLE INDUSTRIES

- Welding
- Metal Fabrication
- Manufacturing
- Mining
- Construction





Protection against mechanical risk 4144



Protection against thermal risk (Heat & Fire)





This family owned